




## Number of residents in your household (including renters, if any)

 Copy


26 responses



## Size of your parcel

 Copy

26 responses




## Home Structure

Is your roof made of one of the following: Class A asphalt shingles, fiberglass shingles, metal, cement tile, or clay?

 Copy


25 responses



Do you have soffit vents with mesh or screening?

 Copy


26 responses



Is your siding made of one of the following: stucco, masonry products, plaster, or cement?

 Copy


26 responses



Do you have skirting underneath raised floors/decks?

 Copy


26 responses



If yes, is it made of combustible material (i.e. wood lattice)?

 Copy

18 responses



## Attachments

Are any of your attachments (deck, fence) to your house made of non-combustible material?


 Copy

25 responses

Are most of your windows multi-paned?

 Copy


26 responses



Are your roofs and gutters currently clear of needles, leaves, and other debris?

 Copy


26 responses



Are your gutters metal or some other non-combustible material?

 Copy

25 responses




**Immediate Zone: 0–5 feet** from the furthest attached point (i.e. a deck) to your home

Is this area relatively clear of combustible material?

 Copy

26 responses




**Intermediate Zone: 5–30 feet**

Do you have landscape and fire breaks to help decrease fire behavior?

 Copy

26 responses




**Extended Zone: 30–100 feet (out of 200 feet where applicable)**

Do you have treated vegetation to interrupt a fire's path, keep flames smaller and on the ground?

 Copy

26 responses




### Common areas or adjacent public lands

Is your home adjacent to wildlands with accumulated fuels?

 Copy

25 responses



If yes, is there a management plan for these fuels? Please describe.

9 responses

No

Contact neighboring property owners to discuss mitigation. Research possible county chipping program for spring 2025.

I am not aware of any management plans

no

I don't think so, it's Sierra Azul open space in Santa Clara County. There is a 25ft fire break between

not sure/absentee owner on one side.

We think it is San Jose Waterworks land. No management plan.


Don't know

Investment Data

If you have any additional source of water (e.g. additional water tanks, pond or pool), approximately how many gallons of stored water would be available for firefighters to use in an emergency?

 Copy


23 responses



In the past 12 months, how many hours have you and family members spent on vegetation management for wildfire risk reduction around your home?

[Copy](#)


24 responses



In the past 12 months, how much have you spent on home hardening and/or vegetation management for wildfire risk reduction around your home?

[Copy](#)

25 responses




Firewise Participation



How would you like to participate in the Mount Bache Mar Vista Firewise Program? Select all that apply.

 Copy

26 responses



How would you like to be contacted by the Mount Bache Mar Vista Firewise Steering Committee for future updates? Select all that apply.

 Copy

27 responses

